



Range 120

Range 120

Presence. Dynamic.



Material

Steel-PA-Compound, high-gloss white or matt black

Design

Delugan Meissl Associated Architects Wien

Lever handles
Framed door lever handles



Model 125
page 76



Model 126
page 78



Model 128
page 82



Model 127
page 80

Window handles



Model 120PBFG.1
page 203

Door accessories



Door stop polyamide
page 317



Symbol male polyamide
page 319



Symbol female polyamide
page 319




Symbol wheelchair polyamide
page 319

Signage Systems




guide synthetic material
page 302

Softlink



Lever handle 125P with roses
Steel-PA-Compound PC = white high-gloss
PB = black matt
R-technology EN 1906 class 4

Further lever handles



126P
page 78

127P
page 80

128P
page 82

Window handles




120PBFG.1
page 203

Item Number	Dimensions in mm / Specification
	120PBR01.520 HEWI Standard door fitting (R-technology) made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: black matt, with 8 mm standard square spindle, concealed anti-loosening connection.
	120PBR02.520 do., vacant/engaged fitting
	120PCR01.520 HEWI Standard door fitting (R-technology) made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: white high-gloss, with 8 mm standard square spindle, concealed anti-loosening connection.
	120PCR02.520 do., vacant/engaged fitting


Ordering and further information	Cross-references
Item number Square Door thickness Keyway If applicable emergency release (wc) square key or coin (FBD or FBM)	← Further products Range 120 page 75 → Components page 133 → Spindles, installation jig, center bit page 154 → Technical information from page 156

Softlink



Lever handle 126P with roses
Steel-PA-Compound PC = white high-gloss
PB = black matt
R-technology EN 1906 class 4

Further lever handles



125P
page 76

127P
page 80

128P
page 82


Window handles



120PBFG.1
page 203

Item Number

Dimensions in mm / Specification




120PBR01.620	HEWI Standard door fitting (R-technology) made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: black matt, with 8 mm standard square spindle, concealed anti-loosening connection.
120PBR02.620	do., vacant/engaged fitting
120PCR01.620	HEWI Standard door fitting (R-technology) made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: white high-gloss, standard square spindle 8 mm, concealed anti-loosening connection.
120PCR02.620	do., vacant/engaged fitting

Range 120

Ordering and further information	Cross-references
Item number	
Square	
Door thickness	
Keyway	
If applicable emergency release (wc)	
square key or coin (FBD or FBM)	← Further products Range 120 page 75 → Components page 133 → Spindles, installation jig, center bit page 154 → Technical information from page 156

Softlink



Lever handle 127P with backplate
Steel-PA-Compound PC = white high-gloss
 PB = black matt
R-Technology EN 1906 class 4
 EN 179 

Further lever handles



125P
page 76

126P
page 78

128P
page 82


Window handles



120PBFG.1
page 203


Range 120

[Softlink](#)



- 
E4H7E
- Lever handle 128P** with roses
- Steel-PA-Compound** PC = white high-gloss
 PB = black matt
- R-technology** EN 1906 class 4
 EN 179 

Further lever handles



125P
page 76

126P
page 78

127P
page 80


Windows handles



120PBFG.1
page 203

Item Number

Dimensions in mm / Specification



120PBR01.820

HEWI Framed door lever fitting (R-technology)
made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: black matt, with 8 mm standard square spindle, concealed anti-loosening connection.

120PBR02.820

do., vacant/engaged fitting

120PCR01.820

HEWI Framed door lever fitting (R-technology)
made of Steel-PA-Compound, lever handle rose integrated in the fitting, colour: white high-gloss, with 8 mm standard square spindle, concealed anti-loosening connection.

120PCR02.820

do., vacant/engaged fitting

Range 120

Ordering and further information

Cross-references

Item number
Square
Door thickness
Keyway
If applicable emergency release (wc)

← Further products Range 120 **page 75**
→ Components **page 133**
→ Spindles, installation jig, center bit **page 154**
→ Technical information **from page 156**